Chemical Safety Data Sheet MSDS / SDS

Ammonium thiocyanate

Revision Date: 2025-05-03 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Ammonium thiocyanate

CBnumber : CB5853210

CAS : 1762-95-4

EINECS Number : 217-175-6

Synonyms: ammonium thiocyanate,NH4SCN

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Warning

Precautionary statements

P321 Specific treatment (see ... on this label).

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazard statements

H412 Harmful to aquatic life with long lasting effects

H402 Harmful to aquatic life

H332 Harmful if inhaled

H312 Harmful in contact with skin

SECTION 3: Composition/information on ingredients

Substance

Product name : Ammonium thiocyanate

Synonyms: ammonium thiocyanate, NH4SCN

CAS : 1762-95-4
EC number : 217-175-6
MF : CH4N2S
MW : 76.12

SECTION 4: First aid measures

Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides

Not combustible.

Ambient fire may liberate hazardous vapours.


Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Do not store near acids.

hygroscopic Air sensitive. Handle and store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

 $\label{eq:minimum layer thickness: 0,11 mm Break through time: 480 min} Minimum layer thickness: 0,11 mm Break through time: 480 min$

Material tested: KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

Body Protectionprotective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	white crystalline
Odour	odorless
Odour Threshold	Not applicable d) pH 4,0 - 5,5 at 76,1 g/l at 25 °C Melting point/freezing point Initial boiling point and
	boiling range Melting point/range: 152 - 154 °C - lit. No data available Flash point Not applicable
	Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability or explosive
	limits The product is not flammable Flammability (solids) No data available Vapour pressure< 0,1
	hPa at 20 °C - OECD Test Guideline 104 Vapour density No data available Density 1,300 g/cm3
	Relative density 1,31 at 20 °C - OECD Test Guideline 109 Water solubility ca.76,1 g/l at 20 °C
	Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature - Not
	applicable for inorganic substances No data available No data available Viscosity Viscosity,
	kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data
	available Oxidizing properties No data available
Melting point/freezing point	Melting point/range: 152 - 154 °C - lit.
Initial boiling point and boiling range	152-154 °C (lit.)
Flash point	Not applicable
Evaporation rate	190 °C
Flammability (solid, gas)	The product is not flammable Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	

< 0,1 hPa at 20 °C - OECD Test Guideline 104
<1 hPa (20 °C)
1,300 g/cm3 1,31 at 20 °C - OECD Test Guideline 109
ca.76,1 g/l at 20 °C
- Not applicable for inorganic substances
No data available
No data available
Viscosity, kinematic: No data available Viscosity, dynamic: No data available
No data available
No data available

Other safety information

No data available

SECTION 10: Stability and reactivity

Reactivity

Contact with acids liberates very toxic gas.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Oxidizing agents nitrates

Sensitive to impact and/ or friction. with

chlorates

Generates dangerous gases or fumes in contact with: acids

Generates dangerous gases or fumes in contact with: Acids

Conditions to avoid

Avoid moisture. Exposure to air may affect product quality. no information available

Incompatible materials

various metals

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 750 mg/kg Remarks: (RTECS)

Symptoms: Nausea, Vomiting, Diarrhea

Acute toxicity estimate Inhalation - 4 h - 1,6 mg/l (Expert judgment)

Acute toxicity estimate Dermal - 1.100,1 mg/kg (Expert judgment)

Skin corrosion/irritation

Skin - EPISKIN Human Skin Model Test Result: No skin irritation - 5 min

(Regulation (EC) No. 440/2008, Annex, B.46)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: Causes serious eye damage. - 4 h (OECD Test Guideline 437)

Respiratory or skin sensitization

(OECD Test Guideline 429)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium thiocyanate

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Toxicity

LD50 orally in Rabbit: 500 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 65 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 3,56 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata - 116 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

static test NOEC - activated sludge - 50 mg/l - 12 h

Remarks: (in analogy to similar products) (ECHA)

The value is given in analogy to the following substances: Potassium thiocyanateThe value is given in analogy to the following substances:

Ammonium thiocyanate

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 80 % - Readily biodegradable. (OECD Test Guideline 301D)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

Incompatibilities

Incompatible with oxidizers; contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides. Acts as an acid; incompatible with lead nitrate, chlorates, nitric acid, acid, acid fumes. In the presence of moisture, this chemical is corrosive to brass, copper, iron.

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Waste Disposal

Slowly add to large container of water. Stir in slight excess of soda ash. Decant or siphon liquid from sludge, neutralize with HCl and flush to sewer. Sludge may be landfilled.

SECTION 14: Transport information

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Packaging group

ADR/RID: - IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail Chemical Book

STEL: Short term exposure limit TWA: Time Weighted Average

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- 【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.