# Chemical Safety Data Sheet MSDS / SDS

# **Diallyl phthalate**

Revision Date: 2025-06-14 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Diallyl phthalate
CBnumber : CB0246486

CAS : 131-17-9

EINECS Number : 205-016-3

Synonyms : Dap, Diallyl phthalate

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Warning

# Precautionary statements

P501 Dispose of contents/container to.....

P330 Rinse mouth.

P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

### Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H400 Very toxic to aquatic life

H302 Harmful if swallowed

# SECTION 3: Composition/information on ingredients

### **Substance**

Product name : Diallyl phthalate

Synonyms : Dap, Diallyl phthalate

CAS : 131-17-9
EC number : 205-016-3
MF : C14H14O4
MW : 246.26

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

### **Extinguishing media**

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


# Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **NFPA 704**



# SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb?). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

### Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject? (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 30 min Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M)

**Body Protection** 

### protective clothing

Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

| Appearance                              | light yellow clear, liquid  |
|---|---|
| Odour                                   | weak  |
| Odour Threshold                         | No data available   |
| рН                                      | No data available   |
| Melting point/freezing point            | Melting point: -70 °C   |
| Initial boiling point and boiling range | 165 - 167 °C at 7 hPa - lit.  |
| Flash point                             | 166 °C - closed cup   |
| Evaporation rate                        | No data available   |
| Flammability (solid, gas)               | No data available   |
| Upper/lower flammability or explosive   | No data available   |
| limits                                  |   |
| Vapour pressure                         | 3,1 hPa at 150 °C   |
| Vapour density                          | 8,5 - (Air = 1.0)   |
| Relative density                        | 1,121 g/cm3 at 25 °C - lit. No data available                                 |
| Water solubility                        | 0,148 g/l at 20 °C - OECD Test Guideline 105- partly soluble                  |
| Partition coefficient: n-octanol/water  | log Pow: 3,23 at 20 °C - Bioaccumulation is not expected.                     |
| Autoignition temperature                | 435 °C at 1.013 hPa   |
| Decomposition temperature               | No data available   |
| Viscosity                               | Viscosity, kinematic: No data available Viscosity, dynamic: 13 mPa.s at 20 °C |
| Explosive properties                    | No data available   |
| Oxidizing properties                    | No data available   |

# Other safety information

Relative vapor density

8,5 - (Air = 1.0)

# SECTION 10: Stability and reactivity

# Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature).

#### Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

#### Conditions to avoid

Strong heating.

### Incompatible materials

No data available

# Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - 656 mg/kg (OECD Test Guideline 423)

Acute toxicity estimate Inhalation - 4 h - 11 mg/l (Expert judgment)

Acute toxicity estimate Inhalation - 4 h - 11 mg/l (Expert judgment)

Symptoms: mucosal irritations, Cough, Shortness of breath LD50 Dermal - Rabbit - 3.300 mg/kg

Remarks: (RTECS)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h Remarks: (ECHA)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitization

(OECD Test Guideline 429)

# Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: without metabolic activation Method: OECD Test Guideline 471

Result: positive

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation Method:

OECD Test Guideline 473

Result: positive

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation Method:

OECD Test Guideline 479

Result: positive

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Result: positive

Test Type: Transgenic rodent somatic cell gene mutation assay Species: Mouse

Cell type: Liver cells Application Route: Oral

Method: OECD Test Guideline 488 Result: negative

Test Type: Micronucleus test Species: Mouse Cell type: Liver cells Application Route: Oral

Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** 

No data available

# SECTION 12: Ecological information

# **Toxicity**

### Toxicity to fish

semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,23 mg/l - 96 h

(OECD Test Guideline 203)

### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 5,5 mg/l - 48 h (OECD Test Guideline 202)

# Toxicity to algae

static test ErC50 - Desmodesmus subspicatus (green algae) - 5,5 mg/l - 72 h

(DIN 38412)

# Persistence and degradability

Biodegradability Result: 96 % - Inherently biodegradable.

(OECD Test Guideline 302C)

# **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Toxics Screening Level**

The initial risk screening level (IRSL) for diallyl phthalate is 0.1 µg/m3 based on an annual averaging time.

#### Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

# Waste treatment methods

### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

# **UN** number

ADR/RID: 3082 IMDG: 3082 IATA: 3334

# **UN proper shipping name**

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dially)

phthalate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diallyl

IATA: Aviation regulated liquid, n.o.s. (Diallyl phthalate)

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

Packaging group

ADR/RID: III IMDG: III

IATA: III

\_Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes

IATA: no

phthalate)

# 14.6 Special precautions for user Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

EC Inventory:Listed.

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

# SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### Other Information

An added stabilizer or inhibitor can influence the toxicological properties of this substance, consult an expert.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.