Chemical Safety Data Sheet MSDS / SDS

Dimethoate

Revision Date:2025-07-12 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Dimethoate
CBnumber	: CB0459837
CAS	: 60-51-5
EINECS Number	: 200-480-3
Synonyms	: DIMETHOATE,o,o-dimethyl methylcarbamoylmethyl phosphorodithioate
Relevant identified uses of the s	ubstance or mixture and uses advised against
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Uses advised against	: none
Company Identification	
Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 010-86108875

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 4, Oral Acute toxicity - Category 4, Dermal

Label elements

Pictogram(s)

Signal word

Warning

Hazard statement(s)

H302 Harmful if swallowed

H312 Harmful in contact with skin

Precautionary statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

1

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P317 Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: Dimethoate
Synonyms	: DIMETHOATE, o, o-dimethyl methyl carba moyl methyl phosphorodithioate
CAS	: 60-51-5
EC number	: 200-480-3
MF	: C5H12NO3PS2
MW	: 229.26

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Rest. Refer for medical attention .

Most important symptoms and effects, both acute and delayed

Very toxic; the probable oral lethal dose in humans is between 50-500 mg/kg, or between 1 teaspoon and 1 ounce for a 70 kg (150 lb.)

person. Dimethoate is a cholinesterase inhibitor, meaning it affects the central nervous system. Death is due to respiratory arrest arising from Chemical Book failure of respiratory center, paralysis of respiratory muscles, intense bronchoconstriction or all three. (EPA, 1998)

Indication of any immediate medical attention and special treatment needed

Antidote for acute dimethoate poisoning: 1. Adults: After cyanosis is overcome, use atropine sulfate, 2-4 mg iv. Repeat doses at 5- to 10-min intervals until signs of atropinization appear. Maintain for 24 hr or longer if necessary. 2. Children: Atropine sulfate in proportion to body weight: approx 0.05 mg/kg. 3. Support atropine treatment with 2-PAM (pralidoxime chloride) ... Adult dose: 1 g, slowly, intravenously; Infants: 0.25 g, slowly intravenously ... contraindicated are morphine, aminophylline, theophylline, phenothiazine tranquilizers, and barbiturates. from table

SECTION 5: Firefighting measures

Extinguishing media

Dry chemicals, carbon dioxide for small fires. Water spray or foam for larger fires.

Specific Hazards Arising from the Chemical

As with other organophosphorus pesticides, container may explode in heat of fire. The temperature of storage should not exceed 70-80F. Keep away from sources of heat, flames, or spark-generating equipment. Unstable in alkaline solution. Hydrolyzed by aqueous alkali. Stable in aqueous solutions. The compound is stable for 2 years under environmental conditions if stored in undamaged, original containers. (EPA, 1998)

Advice for firefighters

Use water spray, powder, carbon dioxide.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do NOT wash away into sewer. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Personal protection: chemical protection suit including self-contained breathing apparatus.

Environmental precautions

Do NOT wash away into sewer. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Personal protection: chemical protection suit including self-contained breathing apparatus.

Methods and materials for containment and cleaning up

Use of granular, activated carbon in the adsorption of pesticides from wastewater is presented. Dimethoate was one of the compounds studied.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Keep in a well-ventilated room. The biological activity remains practically unvaried for 2 yr under environmental conditions, provided stored in unopened and undamaged original containers, in shaded, cool, well-aired places, inaccessible to animals & unauthorized persons. Recommended temp < 25 deg C/77 deg F. Crystals may form in formulations stored at < 32 deg F/0 deg C. Stable a minimum of 1 yr at < 25-30 deg C/77-86 deg F. Stack containers to permit air circulation at bottom & inside of piles. Do not contaminate food, feed products.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	Dimethoate				
CAS No.	60-51-5				
	Limit value - Eight hours	nt hours	Limit value - Short term		
	ppm	mg/m ³	ppm	mg/m ³	
People's Republic of China	?	1	?	?	
	Remarks				

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear safety goggles or face shield.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation (not if powder).

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

ColourWhite crystalline solidOdurCAMPHOR-LIKE ODORMelting point/freeding point5252.5°CBoiling point or initial boiling point and10°C (0.05 torr)boiling rangeCombustible. Liquid formulations containing organic solvents may be flammable. Gives off irritation or ixits fumes (or gases) in a fire.Lower and upper explosionno data availableItri/flammability limit10°CFlanp point010°a cavailableAuto-ignition temperatureno data availablepHno data availableSolubility10.10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/water1.581Partition coefficient n-octanol/water1.581Partition coefficient n-octanol/water1.581Relative vapour density1.281Relative vapour densityno data availableRelative vapour densityno data availableParticle characteristicsno data availableRelative vapour density1.681Relative vapour density1.681Relative vapour densityno data availableRelative vapour densityno data available<	Physical state	solid
OdourCAMPHOR-LIKE ODORMelting point/freezing point52-52.5°CBoiling point or initial boiling point and10°C (0.05 torr)boiling rangeCombustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire.Lower and upper explosionno data availableLimit/flammability limit107°CFlash point107°CAuto-ignition temperatureno data availableper opposition temperatureno data availableplno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/water1281Pansty and/or relative density1.281Relative vapour densityno data availableRelative vapour densityno data availableParticle characteristicsno data available	Colour	White crystalline solid
Melting point/freezing point 52-52.5°C Boiling point or initial boiling point and boiling range 107°C (0.05 torr) Flammability Combustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic furmes (or gases) in a fire. Lower and upper explosion no data available limit/flammability limit Inor C Flash point 107°C Auto-ignition temperature no data available pH no data available Kinematic viscosity no data available Solubility 1 to 10 mg/mL at 75° F (NTP, 1992) Partition coefficient n-octanol/water log Kow = 0.78 Vapour pressure 2.5 x 10 ⁴ Pa (25 °C) Density and/or relative density no data available Relative vapour density no data available	Odour	CAMPHOR-LIKE ODOR
Boiling point or initial boiling point and 107°C (0.05 torr) boiling range Combustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire. Lower and upper explosion no data available limit/flammability limit Inor C Flash point 107°C Auto-ignition temperature no data available pH no data available Kinematic viscosity no data available Solubility 1 to 10 mg/mL at 75° F (NTP, 1992) Partition coefficient n-octanol/water log Kow = 0.78 Vapour pressure 2.5 x 10 ⁻⁴ Pa (25 °C) Density and/or relative density no data available Relative vapour density no data available Particle characteristics no data available	Melting point/freezing point	52-52.5°C
bioling range Flammability Combustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire. Lower and upper explosion no data available limit/flammability limit no data available Flash point 107°C Auto-ignition temperature no data available pH no data available Kinematic viscosity no data available Solubility 1 to 10 mg/mL at 75° F (NTP, 1992) Partition coefficient n-octanol/water log Kow = 0.78 Vapour pressure 2.5 x 10°4 Pa (25°C) Density and/or relative density 1.281 Relative vapour density no data available Particle characteristics no data available	Boiling point or initial boiling point and	107°C (0.05 torr)
FlammabilityCombustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire.Lower and upper explosionno data availablelimit/flammability limitFlash point107°CAuto-ignition temperatureno data availablepdno data availablepHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterIog Kow = 0.78Vapour pressure2.5 x 10-4 Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	boiling range	
toxic fumes (or gases) in a fire.Lower and upper explosionno data availablelimit/flammability limitFlash point107°CAuto-ignition temperatureno data availableDecomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative densityno data availableParticle characteristicsno data available	Flammability	Combustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or
Lower and upper explosionno data availablelimit/flammability limit107°CFlash point107°CAuto-ignition temperatureno data availableDecomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available		toxic fumes (or gases) in a fire.
Iimit/flammability limit Flash point 107°C Auto-ignition temperature no data available Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility 1 to 10 mg/mL at 75° F (NTP, 1992) Partition coefficient n-octanol/water log Kow = 0.78 Vapour pressure 2.5 x 10 ⁴ Pa (25 °C) Density and/or relative density 1.281 Relative vapour density no data available	Lower and upper explosion	no data available
Flash point107°CAuto-ignition temperatureno data availableDecomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10-4 Pa (25 °C)Density and/or relative densityno data availableRelative vapour densityno data availableParticle characteristicsno data available	limit/flammability limit	
Auto-ignition temperatureno data availableDecomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative densityno data availableRelative vapour densityno data availableParticle characteristicsno data available	Flash point	107°C
Decomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	Auto-ignition temperature	no data available
pHno data availableKinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	Decomposition temperature	no data available
Kinematic viscosityno data availableSolubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	рН	no data available
Solubility1 to 10 mg/mL at 75° F (NTP, 1992)Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	Kinematic viscosity	no data available
Partition coefficient n-octanol/waterlog Kow = 0.78Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	Solubility	1 to 10 mg/mL at 75° F (NTP, 1992)
Vapour pressure2.5 x 10 ⁻⁴ Pa (25 °C)Density and/or relative density1.281Relative vapour densityno data availableParticle characteristicsno data available	Partition coefficient n-octanol/water	log Kow = 0.78
Density and/or relative density 1.281 Relative vapour density no data available Particle characteristics no data available	Vapour pressure	2.5 x 10 ⁻⁴ Pa (25 °C)
Relative vapour density no data available Particle characteristics no data available	Density and/or relative density	1.281
Particle characteristics no data available	Relative vapour density	no data available
	Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Decomposes on heating. This produces toxic fumes including nitrogen oxides, phosphorus oxides and sulfur oxides.

Chemical stability

The biological activity remains practically unvaried for 2 yr under environmental conditions, provided stored in unopened and undamaged original containers, in shaded, cool, well-aired places. ... Crystals may form in formulations stored at < 32 deg F/0 deg C. Stable a minimum of 1 yr at < 25-30 deg C/77-86 deg F.

Possibility of hazardous reactions

DIMETHOATE is incompatible with alkaline preparations. It is slightly corrosive to iron. It is incompatible with sulfur based formulations. (NTP, 1992). Organophosphates are susceptible to formation of highly toxic and flammable phosphine gas in the presence of strong reducing agents such as hydrides. Partial oxidation by oxidizing agents may result in the release of toxic phosphorus oxides.

Conditions to avoid

no data available

Incompatible materials

Dimethoate may decompose violently at temperatures >60 deg C due to catalytic effects. However, it is not considered to be an explosive.

Hazardous decomposition products

When heated to decomposition it emits very toxic fumes of /nitrogen, phosphorous, and sulfur oxides/.

SECTION 11: Toxicological information

Acute toxicity

• Oral: LD50 Rat female oral 240-336 mg/kg technical material From table

- Inhalation: LC50 Rat inhalation >1.553 mg/L/4 hr /formulated as EC 400 g/L//
- Dermal: LD50 Rat percutaneous > 800 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Group C Possible Human Carcinogen

Reproductive toxicity

no data available

STOT-single exposure

The substance may cause effects on the nervous system at high levels. Cholinesterase inhibition. Exposure could cause death. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. Cholinesterase inhibition. Cumulative effects are possible. See Acute Hazards/Symptoms. Animal tests show that this substance possibly causes toxic effects upon human reproduction.

Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 Lepomis macrochirus (Bluegill, weight 0.3 g) 6.0 mg/L/96 hr; temp 24 deg C. Static bioassay without aeration, pH 7.2-7.5, water hardness 40-50 mg/L as calcium carbonate and alkalinity of 30-35 mg/L. /Technical, 97.4%

Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna (Water flea) 2.50 mg/L/48 hr /from table; Conditions of bioassay not specified

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: The concn of dimethoate left (initial concn 10 ppb) after various times in raw water from Little Miami river at pH 7.3-8.0 was 10 ppb after 1 hr, 10 ppb after 1 wk, 8.5 ppb after 2 wks, 7.5 ppb after 4wks, and 5.0 ppb after 8 wks(1). Biodegradation may play a minor role in the disappearance of dimethoate in the river water; no experiments were conducted with sterilized river water(1). Half-lives of 171, 173 and 219 days were given for river water, filtered river water and sea water, respectively at 6 deg C, and 43, 29 and 36 days at 22 deg C(2). Percent degradation in chehalis clay loam soil in 2 wk, non-sterile, 77%, autoclaved, 18%, irradiated, 20%(3). Half-lives in soil in June-July averaged 11 days, and less than 2% of applied dimethoate residue detected after 10 months(3). Dimethoate half-lives in soil from Zhejiang Province, China were given as 5.1 and 7.1 days in 1989 and 1990, respectively(4). Dimethoate was given a half-life of 7 days(5-7) and 11 days(8) in an unspecified field soil sample. In laboratory experiments at 20-30 deg C half-lives for degradation were 28.9 and 36.7 days(3). However, dimethoate degraded faster when incubated for 30 days in samples of autoclaved sand, sandy clay loam, loam, and clay soils than in similarly treated nonsterile soils(9). Biodegradation appears to depend on the soil type and the microorganisms present in the soil(9). A half-life of 122 days has been observed in soil(10) which also suggests that biodegradation of dimethoate can be slow. In moist soils, dimethoate is readily oxidized to dimethoxon(11), but the role of microbial degradation on the removal of dimethoate from the environment is uncertain(12). Recovery of dimethoate incubated with enrichment cultures using raw sewage: 0 days, 54 ppm; 0.5 days, 54 ppm; 1 day, 52.5 ppm; 6 days, 22.4 ppm; 9 days, 13.5 ppm; 12 days, not detected(13). Using an initial concn of 100 mg/L dimethoate, 0-17 %Theoretical BOD was observed after a 4 week period in a biodegradation screening test using 30 mg/L sludge(14). Dimethoate has been reported to have an aerobic half-life of 2.2 days(15).

Bioaccumulative potential

After a 6 week period in a flow through system at 25 deg C, BCF ranges of 1.1-2.4 and 2.7-6 were determined in carp (Cyprinus carpio) using initial concess of 1 and 0.1 mg/L dimethoate, respectively(1). According to a classification scheme(3), these BCFs suggest the potential for bioconcentration in aquatic organisms is low(SRC). Bioconcentration of dimethoate in Mytillus galloprovincialis after 92 hours exposure at Chemical Book

concentrations of 3.2, 5.6, 10, 32 and 56 ug/L was 1.0, 1.1, 1.4, 2.0 and 3.1 ug/g, respectively(3). Bioconcentration of dimethoate in Venus gallina after 92 hours exposure at concentrations of 5.6, 10 and 32 ug/L was 2.2, 2.3 and 3.1 ug/g, respectively(3).

Mobility in soil

The Koc values for dimethoate were measured to be 18 and 36 in a clay loam soil and clay soil, respectively(1). In other studies, the Koc was measured to be 5.2(2), 50(3) and 17(4) in unspecified soils. The Pesticide Properties Database lists the experimental Koc value for dimethoate as 20(5). According to a suggested classification scheme(6), these Koc values suggest that dimethoate will have very high mobility in soil. Average dimethoate losses due to leaching of various soil columns with the equivalent of 2.5 cm of rain ranged from 39.6% (clay) to 78.6% (sand)(7). In four soils containing less than 1% organic content, the soil TLC Rf values ranged from 0.89 to 0.97(8). The soil TLC Rf values in two other soils (0.35-1.05% OC) was 0.40-0.50 and was not affected by pH or salt concentration changes(9). Of 7 values sited in literature the mean Kd is 0.45(10). Kds were given for soil A (2.4 % clay, 0.8% silt, 96.4% sand, 2.1% organic material, pH 5.3) and soil B (13.4 % clay, 10.8% silt, 75% sand, 1.5% organic material, pH 6.4) as 0.08 and 0.05, respectively(11).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN2783 (For reference only, please check.) IMDG: UN2783 (For reference only, please check.) IATA: UN2783 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (For reference only, please check.) IMDG: ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (For reference only, please check.) IATA: ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.) IMDG: 6.1 (For reference only, please check.) IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: I (For reference only, please check.) IMDG: I (For reference only, please check.) IATA: I (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Not Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS Listed. **Vietnam National Chemical Inventory** Listed. IECSC Listed. Korea Existing Chemicals List (KECL) Listed.

SECTION 16: Other information

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulation concerning the International Carriage of Dangerous Goods by Rail IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association TWA: Time Weighted Average STEL: Short term exposure limit LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Other Information

Other melting points: 43-45°C (technical grade).Depending on the degree of exposure, periodic medical examination is indicated.Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. If the substance is formulated with solvent(s) also consult the card(s) (ICSC) of the solvent(s).Carrier solvents used in commercial formulations may change physical and toxicological properties.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.