

## Chemical Safety Data Sheet MSDS / SDS

## Hydrazine hydrate

Revision Date:2025-02-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Hydrazine hydrate  
CBnumber : CB5110461  
CAS : 7803-57-8  
EINECS Number : 616-584-0  
Synonyms : hydrazine hydrate, Hydrazine Monohydrate

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P391 Collect spillage. Hazardous to the aquatic environment

P320 Specific treatment is urgent (see ... on this label).

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P273 Avoid release to the environment.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash skin thoroughly after handling.  
P264 Wash hands thoroughly after handling.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P202 Do not handle until all safety precautions have been read and understood.  
P201 Obtain special instructions before use.

#### **Hazard statements**

H410 Very toxic to aquatic life with long lasting effects  
H400 Very toxic to aquatic life  
H372 Causes damage to organs through prolonged or repeated exposure  
H370 Causes damage to organs  
H351 Suspected of causing cancer  
H350 May cause cancer  
H341 Suspected of causing genetic defects  
H330 Fatal if inhaled  
H318 Causes serious eye damage  
H317 May cause an allergic skin reaction  
H314 Causes severe skin burns and eye damage  
H310 Fatal in contact with skin  
H301 Toxic if swallowed  
H227 Combustible liquid

---

## SECTION 3: Composition/information on ingredients

### **Substance**

|              |  |
|--------------|--|
| Product name | : Hydrazine hydrate                        |
| Synonyms     | : hydrazine hydrate, Hydrazine Monohydrate |
| CAS          | : 7803-57-8                                |
| EC number    | : 616-584-0                                |
| MF           | : H6N2O                                    |
| MW           | : 50.06                                    |

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

#### **Suitable extinguishing media**

Small (incipient) fires must be extinguished with alcohol resistant foam, dry chemical powder or carbon dioxide. Large amounts of water are ineffective. Cool containers with large amounts of water.

#### **Special hazards arising from the substance or mixture**

Nature of decomposition products not known. Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.


#### **Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **NFPA 704**



|          |   |  |
|----------|---|--|
| ■ HEALTH | 4 | Very short exposure could cause death or major residual injury (e.g. hydrogen cyanide, phosgene, methyl isocyanate, <a href="#">hydrofluoric acid</a> )  |
| ■ FIRE   | 2 | Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <a href="#">sulfur</a> ) |
| ■ REACT  | 1 | Normally stable, but can become unstable at elevated temperatures and pressures (e.g. <a href="#">propene</a> )  |
| □ SPEC.  |   |  |
| □ HAZ.   |   |  |

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemisorb?). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nature latex/chloroprene Minimum layer thickness: 0,6 mm Break through time: 480 min

Material tested:Lapren? (KCL 706 / Aldrich Z677558, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 30 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

##### Body Protection

Flame retardant antistatic protective clothing.

##### Respiratory protection

Recommended Filter type: Filter type K

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

##### Control of environmental exposure

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

|  |   |
|--|---|
| Appearance                                   | colorless liquid, clear   |
| Odour  | No data available   |
| Odour Threshold                              | No data available d) pH 10,6 - 10,7 at 10 g/l Melting point/freezing point Initial boiling point and boiling range Melting point/range: -51,7 °C - lit. 120,1 °C - lit. Flash point 38 °C - closed cup - (anhydrous substance) Evaporation rate No data available Flammability (solid, No data available gas) Upper/lower flammability or explosive limits No data available Vapour pressure 7 hPa at 25 °C Vapour density No data available Density 1,032 g/cm <sup>3</sup> at 25 °C - lit. Relative density No data available Water solubility completely soluble Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature No data available No data available >250 °C - Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties Not explosive Oxidizing properties No data available |
| Melting point/freezing point                 | Melting point/range: -51,7 °C - lit.  |
| Initial boiling point and boiling range      | 120,1 °C - lit.   |
| Flash point                                  | 38 °C - closed cup - (anhydrous substance)  |
| Evaporation rate                             | 204 °F  |
| Flammability (solid, gas)                    | No data available   |
| Upper/lower flammability or explosive limits | No data available   |
| Vapour pressure                              | 7 hPa at 25 °C  |
| Vapour density                               | 5 mm Hg ( 25 °C)  |
| Relative density                             | >1 (vs air)   |
| Water solubility                             | completely soluble  |
| Partition coefficient: n-octanol/water       | No data available   |
| Autoignition temperature                     | No data available   |
| Decomposition temperature                    | >250 °C -   |
| Viscosity                                    | Viscosity, kinematic: No data available Viscosity, dynamic: No data available   |
| Explosive properties                         | Not explosive   |
| Oxidizing properties                         | No data available   |

### Other safety information

Solubility in other solvents

Ethanol - soluble

## SECTION 10: Stability and reactivity

### Reactivity

Vapor/air-mixtures are explosive at intense warming.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) . Stable under recommended storage conditions.

### **Possibility of hazardous reactions**

No data available

### **Conditions to avoid**

Heat, flames and sparks. Heating.

### **Incompatible materials**

Oxidizing agents, Oxygen, Copper, Organic materials, Zinc

### **Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - male - 262 mg/kg (OECD Test Guideline 401) Remarks: anhydrous substance

LC50 Inhalation - Rat - male - 4 h - 0,76 mg/l Remarks: (ECHA)

anhydrous substance

Acute toxicity estimate Dermal - Not tested on animals - 300,1 mg/kg Remarks: Expert judgment

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive - 4 h Remarks: (55% solution) anhydrous substance

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Respiratory or skin sensitization**

(Regulation (EC) No 1272/2008, Annex VI) (anhydrous substance)

#### **Germ cell mutagenicity**

Result:Negative

Metabolic activation: with and without metabolic activation

Method: Guidelines for Screening Mutagenicity Testing of Chemicals (Chemical Substances Control Law of Japan) and OECD Test Guideline 471

Test system: Salmonella typhimurium TA100, TA1535, TA98, TA1537, Escherichia coli WP2 uvrA/pKM101

Test Type: Ames test

Result:Negative

Metabolic activation: with and without metabolic activation

Method: Guidelines for Screening Mutagenicity Testing of Chemicals (Chemical Substances Control Law of Japan) and OECD Test Guideline 473

Test system: Chinese hamster CHL/IU cells

Test Type: Chromosome aberration test in vitro

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Toxicity**

LD50 orally in Rabbit: 169 mg/kg

---

## SECTION 12: Ecological information

**Toxicity**

**Toxicity to fish**

static test LC50 - *Poecilia reticulata* (guppy) - 0,61 mg/l - 96 h Remarks: (ECHA)

**Toxicity to daphnia and other aquatic invertebrates**

semi-static test EC50 - *Daphnia pulex* (Water flea) - 0,16 mg/l - 48 h

(US-EPA)

Remarks: (in analogy to similar products)

**Toxicity to algae**

static test ErC50 - *Desmodesmus subspicatus* (green algae) - 0,017 mg/l - 48 h

(Regulation (EC) No. 440/2008, Annex, C.3)

**Toxicity to bacteria**

static test EC50 - activated sludge - 5,5 mg/l - 3 h (OECD Test Guideline 209)

**Persistence and degradability**

Biodegradability aerobic - Exposure time 24 h

Result: 99 % - Inherently biodegradable. (OECD Test Guideline 302B)

Remarks: (anhydrous substance)

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment**



This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Other adverse effects**

No data available

---

## **SECTION 13: Disposal considerations**

#### **Waste treatment methods**

#### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## **SECTION 14: Transport information**

#### **UN number**

ADR/RID: 2030 IMDG: 2030 IATA: 2030

#### **UN proper shipping name**

ADR/RID: HYDRAZINE, AQUEOUS SOLUTION IMDG: HYDRAZINE, AQUEOUS SOLUTION

IATA: Hydrazine, aqueous solution Passenger Aircraft: Not permitted for transport

#### **Transport hazard class(es)**

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

#### **Packaging group**

ADR/RID: II IMDG: II IATA: II

#### **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

#### **Special precautions for user**

No data available

---

## **SECTION 15: Regulatory information**

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015: Not Listed. website: <https://www.mem.gov.cn/>

##### **Measures for Environmental Management of New Chemical Substances**

United States Toxic Substances Control Act (TSCA) Inventory:Not Listed. website: <https://www.epa.gov/>

European Inventory of Existing Commercial Chemical Substances (EINECS):Not Listed. website: <https://echa.europa.eu/>

EC Inventory:Not Listed.

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.