

Chemical Safety Data Sheet MSDS / SDS

ISOAMYL ALCOHOL

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : ISOAMYL ALCOHOL
CBnumber : CB3158874
CAS : 30899-19-5
EINECS Number : 250-378-8
Synonyms : 3-Methylbutan-1-ol, Isopentanol

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

Classification of the substance or mixture

no data available

Label elements

Pictogram(s)

Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour
H332 Harmful if inhaled
H335 May cause respiratory irritation

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Prevention

no data available

Response

no data available

Storage

no data available

Disposal

no data available

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: ISOAMYL ALCOHOL
Synonyms	: 3-Methylbutan-1-ol, Isopentanol
CAS	: 30899-19-5
EC number	: 250-378-8
MF	: C ₅ H ₁₂ O
MW	: 88.15

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Seek medical attention if you feel unwell.

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible). Refer for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer immediately for medical attention.

Most important symptoms and effects, both acute and delayed

Irritation of skin, eyes, and respiratory tract; headache and vertigo; dyspnea and cough; nausea, vomiting, and diarrhea. Double vision, deafness, delirium, and occasionally fatal poisoning, preceded by severe nervous symptoms, have been reported. Coma, glycosuria, and methemoglobinemia can occur. (USCG, 1999)

Indication of any immediate medical attention and special treatment needed

There is no antidote for intoxication /of pentyl alcohols/. If symptoms develop, the victim should be removed from the contaminated area and given supportive treatment if it is needed. Pentyl alcohols

SECTION 5: Firefighting measures

Extinguishing media

Extinguish with dry chemical, alcohol foam, or carbon dioxide. Water may be ineffective on fire. Cool exposed containers with water.

Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 129 [Flammable Liquids (Water-Miscible / Noxious)]: HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. (ERG, 2016)

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Remove all ignition sources. Personal protection: filter respirator for organic gases and particulates adapted to the airborne concentration of the substance. Collect leaking liquid in sealable containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Environmental considerations: Land spill: Dig a pit, pond, lagoon, holding area to contain liquid or solid material. Dike surface flow using soil, sand bags, foamed polyurethane, or foamed concrete. Absorb bulk liquid with fly ash, cement powder, or commercial sorbents. pentanols

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants. Fireproof. Separated from strong oxidants, and alkaline metals and alkaline-earth metals. Keep in a well-ventilated room.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flammable resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	N-pentanol is a colorless liquid with a mild to moderately strong odor. Less dense than water. Flash point 91°F. Boiling point 280°F. Vapors heavier than air. Moderately toxic by ingestion. Vapors may irritate skin and eyes. Used as a solvent and to make other chemicals.
Colour	<20(APHA)
Odour	CHARACTERISTIC FUSEL-LIKE ODOR
Melting point/freezing point	-117°C
Boiling point or initial boiling point and boiling range	131-132°C
Flammability	Flammable. Heating will cause rise in pressure with risk of bursting.
Lower and upper explosion limit/flammability limit	1.2-8%(V)
Flash point	109.4°C
Auto-ignition temperature	680° F (USCG, 1999)
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	5 mm ² /s at 20°C
Solubility	28g/l
Partition coefficient n-octanol/water	low K _{ow} = 1.51

Vapour pressure	2 mm Hg (20 °C)
Density and/or relative density	0.809 g/mL
Relative vapour density	3 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Reacts violently with oxidants.

Chemical stability

no data available

Possibility of hazardous reactions

Extremely flammable if exposed to heat or flame. Moderately toxic, flammable if exposed to powerful oxidizers. Incompatible with oxidizing materials, hydrogen trisulfide [Sax, 9th ed., 1996, p. 224].

Conditions to avoid

no data available

Incompatible materials

Attacks many alkaline and earth alkaline metals forming flammable/explosive gas.

Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Mouse oral 200 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 *Brachydanio rerio* (Zebra fish) 530 mg/L/96 hr; static

Toxicity to daphnia and other aquatic invertebrates: EC50 *Daphnia magna* (Water flea; immobilization) 341 mg/L/48 hr />99% n-Pentanol, <1% 3-Methylbutanol-1

Toxicity to algae: EC50 *Scenedesmus quadricauda* (Algae; cell multiplication inhibition) 260 mg/L/8 days; pH 7.0

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: In 5-day BOD tests with sewage as microbial inoculum, the oxygen consumption of n-pentyl alcohol ranged from 59 to 86.9% of the theoretical BOD(1,4-7). In a Warburg test with activated sludge as inoculum, the oxygen consumption at 1 day of incubation was 28% of the theoretical value(3). At concentrations above 300 mg/L, n-pentyl alcohol may have an inhibitory effect on the oxidative respiratory rate in the presence of activated sludge(8). The first order rate constants (at a constant microorganism concn) for biodegradation of n-pentyl alcohol in non-adapted activated sludge was 0.0285 per hr(2) corresponding to an aerobic biodegradation half-life of 1 day.

Bioaccumulative potential

An estimated BCF of 3 was calculated for n-pentyl alcohol(SRC) using a log Kow of 1.51(1) and a regression derived equation(2). Based on a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

The Koc of n-pentyl alcohol is estimated as 160(SRC), using a log Kow of 1.51(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that n-pentyl alcohol is expected to have moderate mobility in soil.

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1105 (For reference only, please check.)

IMDG: UN1105 (For reference only, please check.)

IATA: UN1105 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: PENTANOLS (For reference only, please check.)

IMDG: PENTANOLS (For reference only, please check.)

IATA: PENTANOLS (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Not Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

PICCS

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: <http://www.echemportal.org/echemportal/index?>

pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.