

Chemical Safety Data Sheet MSDS / SDS

N-MethylolacrylamideRevision Date:2025-06-14 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : N-Methylolacrylamide
CBnumber : CB3182194
CAS : 924-42-5
EINECS Number : 213-103-2
Synonyms : N-methylolacrylamide,N-(hydroxymethyl)acrylamide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 3, Oral
Skin sensitization, Category 1
Germ cell mutagenicity, Category 1B
Carcinogenicity, Category 1B
Reproductive toxicity, Category 2
Specific target organ toxicity – repeated exposure, Category 1

Label elements**Pictogram(s)**

Signal word : Danger

Hazard statement(s)

H301 Toxic if swallowed
H302 Harmful if swallowed
H317 May cause an allergic skin reaction

H320 Causes eye irritation

H340 May cause genetic defects

H350 May cause cancer

H360 May damage fertility or the unborn child

H361 Suspected of damaging fertility or the unborn child

H371 May cause damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to....

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P203 Obtain, read and follow all safety instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P333+P317 If skin irritation or rash occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P318 IF exposed or concerned, get medical advice.

P319 Get medical help if you feel unwell.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

SECTION 3: Composition/information on ingredients

Substance

Product name	: N-Methylolacrylamide
Synonyms	: N-methylolacrylamide, N-(hydroxymethyl)acrylamide
CAS	: 924-42-5
EC number	: 213-103-2
MF	: C ₄ H ₇ NO ₂
MW	: 101.1

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Refer for medical attention .

Most important symptoms and effects, both acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include irritation of the eyes, skin, mucous membranes and upper respiratory tract.

Compounds of this class cause peripheral neuropathies, paresthesias, weakness in lower limbs and bluish, sweaty cold hands with erythema and peeling of the palms. ACUTE/CHRONIC HAZARDS: The vapor or mist of this compound is irritating to the skin, eyes, mucous membranes and upper respiratory tract. In aqueous solution, this compound is readily absorbed through the skin. When heated to decomposition it emits toxic fumes of carbon dioxide, carbon monoxide and nitrogen oxides. (NTP, 1992)

Indication of any immediate medical attention and special treatment needed

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist respirations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary . Monitor for shock and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Activated charcoal is not effective . Do not attempt to neutralize because of exothermic reaction. Cover skin burns with dry, sterile dressings after decontamination . Organic acids and related compounds

SECTION 5: Firefighting measures

Extinguishing media

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)


Specific Hazards Arising from the Chemical

Literature sources indicate that this chemical is nonflammable. (NTP, 1992)

Advice for firefighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

SPEC.

HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from acids. Store only if stabilized. Store in an area without drain or sewer access.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	Solid
Colour	White to Off-White
Odour	no data available
Melting point/freezing point	5°C(lit.)
Boiling point or initial boiling point and boiling range	277°C(lit.)
Flammability	Combustible.
Lower and upper explosion limit/flammability limit	no data available

Flash point	>93°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	6.0-7.0 (H ₂ O, 20°C)
Kinematic viscosity	no data available
Solubility	Chloroform (Slightly), Methanol (Slightly)
Partition coefficient n-octanol/water	-1.81 (calculated)
Vapour pressure	31 hPa (25 °C)
Density and/or relative density	1.074
Relative vapour density	1.074
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

The substance may polymerize due to heating and under the influence of acids. Decomposes on burning. This produces toxic fumes including nitrogen oxides.

Chemical stability

May undergo spontaneous combustion in storage.

Possibility of hazardous reactions

AMONG 4 FIBER DRUMS OF THIS CHEMICAL /N-HYDROXYMETHYLACRYLAMIDE/, 2 OF WHICH HAD NEVER BEEN OPENED, EXCESSIVE HEAT, SMOKE, CRACKLING & SMALL FLAME WERE NOTED. VERY SMALL AMOUNTS OF CONTAMINANT ARE BELIEVED TO HAVE CATALYZED THIS POLYMERIZATION REACTION, BUT STORAGE IN EXCESSIVELY HEATED AREAS CAN ALSO START THE REACTION. N-METHYLOLACRYLAMIDE may be sensitive to prolonged exposure to light. Polymerization and generation of heat and flames may occur on exposure to heat or contaminants. Incompatible with strong oxidizers. (NTP, 1992)

Conditions to avoid

no data available

Incompatible materials

Excessive heat, smoke, flames, and cracking noise were emitted from stored fibre drums of the monomer, some unopened. Polymerization may have been initiated by minor contaminants (perhaps as vapors), and/or by excessively warm storage conditions.

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 474 mg/kg

- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is mildly irritating to the eyes and skin. The substance may cause effects on the nervous system.

STOT-repeated exposure

The substance may have effects on the peripheral nervous system. Animal tests show that this substance possibly causes toxicity to human reproduction or development.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: no data available

IMDG: no data available

IATA: no data available

UN Proper Shipping Name

ADR/RID: no data available

IMDG: no data available

IATA: no data available

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

PICCS

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pagelD=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

An added stabilizer or inhibitor can influence the toxicological properties of this substance, consult an expert.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.